

3FFF Limited
Unit B, 18 Brunel Rd, Earlstree Industrial Estate
Corby Northamptonshire,
NN17 4JW UK



NATA Accredited
Accreditation Number 1261
Site Number 20794

Accredited for compliance with ISO/IEC 17025 – Testing
 The results of the tests, calibrations and/or
 measurements included in this document are traceable
 to Australian/national standards.

Attention: **Becky McDowall & Gary McDowall**

Report **706228-S-V2**

Project name

Received Date **Mar 05, 2020**

Client Sample ID			FREDEX SC 75	FREDEX SC 75
Sample Matrix			Product	TOP - Product
Eurofins Sample No.			B20-Ma08466	B20-Ma08468
Date Sampled			Not Provided	Not Provided
Test/Reference	LOR	Unit		
Perfluoroalkyl carboxylic acids (PFCAs)				
Perfluorobutanoic acid (PFBA) ^{N11}	100	ug/kg	< 100	< 100
Perfluoropentanoic acid (PFPeA) ^{N11}	100	ug/kg	< 100	< 100
Perfluorohexanoic acid (PFHxA) ^{N11}	100	ug/kg	< 100	< 100
Perfluoroheptanoic acid (PFHpA) ^{N11}	100	ug/kg	< 100	< 100
Perfluorooctanoic acid (PFOA) ^{N11}	100	ug/kg	< 100	< 100
Perfluorononanoic acid (PFNA) ^{N11}	100	ug/kg	< 100	< 100
Perfluorodecanoic acid (PFDA) ^{N11}	100	ug/kg	< 100	< 100
Perfluoroundecanoic acid (PFUnDA) ^{N11}	100	ug/kg	< 100	< 100
Perfluorododecanoic acid (PFDoDA) ^{N11}	100	ug/kg	< 100	< 100
Perfluorotridecanoic acid (PFTrDA) ^{N15}	100	ug/kg	< 100	< 100
Perfluorotetradecanoic acid (PFTeDA) ^{N11}	100	ug/kg	< 100	< 100
13C4-PFBA (surr.)	1	%	140	88
13C5-PFPeA (surr.)	1	%	185	109
13C5-PFHxA (surr.)	1	%	11	116
13C4-PFHpA (surr.)	1	%	125	106
13C8-PFOA (surr.)	1	%	50	125
13C5-PFNA (surr.)	1	%	133	124
13C6-PFDA (surr.)	1	%	120	120
13C2-PFUnDA (surr.)	1	%	120	107
13C2-PFDoDA (surr.)	1	%	116	112
13C2-PFTeDA (surr.)	1	%	158	135
Perfluoroalkyl sulfonamido substances				
Perfluorooctane sulfonamide (FOSA) ^{N11}	100	ug/kg	< 100	< 100
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA) ^{N11}	100	ug/kg	< 100	< 100
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA) ^{N11}	100	ug/kg	< 100	< 100
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE) ^{N11}	100	ug/kg	< 100	< 100
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE) ^{N11}	100	ug/kg	< 100	< 100
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA) ^{N11}	100	ug/kg	< 100	< 100
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA) ^{N11}	100	ug/kg	< 100	< 100
13C8-FOSA (surr.)	1	%	94	153
D3-N-MeFOSA (surr.)	1	%	105	150
D5-N-EtFOSA (surr.)	1	%	107	154

Client Sample ID			FREDEX SC 75	FREDEX SC 75
Sample Matrix			Product	TOP - Product
Eurofins Sample No.			B20-Ma08466	B20-Ma08468
Date Sampled			Not Provided	Not Provided
Test/Reference	LOR	Unit		
Perfluoroalkyl sulfonamido substances				
D7-N-MeFOSE (surr.)	1	%	112	124
D9-N-EtFOSE (surr.)	1	%	135	140
D5-N-EtFOSAA (surr.)	1	%	106	109
D3-N-MeFOSAA (surr.)	1	%	140	106
Perfluoroalkyl sulfonic acids (PFASs)				
Perfluorobutanesulfonic acid (PFBS) ^{N11}	100	ug/kg	< 100	< 100
Perfluorononanesulfonic acid (PFNS) ^{N15}	100	ug/kg	< 100	< 100
Perfluoropropanesulfonic acid (PFPrS) ^{N15}	100	ug/kg	< 100	< 100
Perfluoropentanesulfonic acid (PFPeS) ^{N15}	100	ug/kg	< 100	< 100
Perfluorohexanesulfonic acid (PFHxS) ^{N11}	100	ug/kg	< 100	< 100
Perfluoroheptanesulfonic acid (PFHpS) ^{N15}	100	ug/kg	< 100	< 100
Perfluorooctanesulfonic acid (PFOS) ^{N11}	100	ug/kg	< 100	< 100
Perfluorodecanesulfonic acid (PFDS) ^{N15}	100	ug/kg	< 100	< 100
13C3-PFBS (surr.)	1	%	61	182
18O2-PFHxS (surr.)	1	%	135	163
13C8-PFOS (surr.)	1	%	127	165
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)				
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA) ^{N11}	100	ug/kg	< 100	< 100
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA) ^{N11}	100	ug/kg	< 100	< 100
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA) ^{N11}	100	ug/kg	< 100	< 100
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA) ^{N11}	100	ug/kg	< 100	< 100
13C2-4:2 FTSA (surr.)	1	%	84	35
13C2-6:2 FTSA (surr.)	1	%	79	44
13C2-8:2 FTSA (surr.)	1	%	117	56
13C2-10:2 FTSA (surr.)	1	%	184	66
PFASs Summations				
Sum (PFHxS + PFOS)*	100	ug/kg	< 100	< 100
Sum of US EPA PFAS (PFOS + PFOA)*	100	ug/kg	< 100	< 100
Sum of enHealth PFAS (PFHxS + PFOS + PFOA)*	100	ug/kg	< 100	< 100
Sum of WA DWER PFAS (n=10)*	100	ug/kg	< 100	< 100
Sum of PFASs (n=30)*	100	ug/kg	< 100	< 100

Sample History

Where samples are submitted/analysed over several days, the last date of extraction and analysis is reported.

A recent review of our LIMS has resulted in the correction or clarification of some method identifications. Due to this, some of the method reference information on reports has changed. However, no substantive change has been made to our laboratory methods, and as such there is no change in the validity of current or previous results.

If the date and time of sampling are not provided, the Laboratory will not be responsible for compromised results should testing be performed outside the recommended holding time.

Description	Testing Site	Extracted	Holding Time
Per- and Polyfluoroalkyl Substances (PFASs)			
Perfluoroalkyl carboxylic acids (PFCAs)	Brisbane	Mar 06, 2020	180 Days
- Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)			
Perfluoroalkyl sulfonamido substances	Brisbane	Mar 06, 2020	180 Days
- Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)			
Perfluoroalkyl sulfonic acids (PFSAs)	Brisbane	Mar 06, 2020	180 Days
- Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)			
n:2 Fluorotelomer sulfonic acids (n:2 FTSAs)	Brisbane	Mar 06, 2020	180 Days
- Method: LTM-ORG-2100 Per- and Polyfluoroalkyl Substances (PFAS)			

Company Name: 3FFF Limited
Address: Unit B, 18 Brunel Rd, Earlstree Industrial Estate
Corby Northamptonshire,
NN17 4JW UK

Order No.: 3F 1139
Report #: 706228
Phone: (0044) 1536202919
Fax: (0044) 1536 263641

Received: Mar 5, 2020 9:00 AM
Due: Mar 12, 2020
Priority: 5 Day
Contact Name: Becky McDowall & Gary McDowall

Project Name:

Eurofins Analytical Services Manager : Peter Brand

Sample Detail						Total Oxidisable Precursor	Per- and Polyfluoroalkyl Substances (PFASs)
Melbourne Laboratory - NATA Site # 1254 & 14271							
Sydney Laboratory - NATA Site # 18217							
Brisbane Laboratory - NATA Site # 20794						X	X
Perth Laboratory - NATA Site # 23736							
External Laboratory							
No	Sample ID	Sample Date	Sampling Time	Matrix	LAB ID		
1	FREDEX SC 75	Not Provided		Product	B20-Ma08466		X
2	BERKI COLD	Not Provided		Product	B20-Ma08467		X
3	FREDEX SC 75	Not Provided		TOP - Product	B20-Ma08468	X	X
4	BERKI COLD	Not Provided		TOP - Product	B20-Ma08469	X	X
Test Counts						2	4

Internal Quality Control Review and Glossary

General

1. Laboratory QC results for Method Blanks, Duplicates, Matrix Spikes, and Laboratory Control Samples follows guidelines delineated in the National Environment Protection (Assessment of Site Contamination) Measure 1999, as amended May 2013 and are included in this QC report where applicable. Additional QC data may be available on request.
2. All soil/sediment/solid results are reported on a dry basis, unless otherwise stated.
3. All biota/food results are reported on a wet weight basis on the edible portion, unless otherwise stated.
4. Actual LORs are matrix dependant. Quoted LORs may be raised where sample extracts are diluted due to interferences.
5. Results are uncorrected for matrix spikes or surrogate recoveries except for PFAS compounds.
6. SVOC analysis on waters are performed on homogenised, unfiltered samples, unless noted otherwise.
7. Samples were analysed on an 'as received' basis.
8. Information identified on this report with blue colour, indicates data provided by customer, that may have an impact on the results.
9. This report replaces any interim results previously issued.

Holding Times

Please refer to 'Sample Preservation and Container Guide' for holding times (QS3001).

For samples received on the last day of holding time, notification of testing requirements should have been received at least 6 hours prior to sample receipt deadlines as stated on the SRA.

If the Laboratory did not receive the information in the required timeframe, and regardless of any other integrity issues, suitably qualified results may still be reported.

Holding times apply from the date of sampling, therefore compliance to these may be outside the laboratory's control.

For VOCs containing vinyl chloride, styrene and 2-chloroethyl vinyl ether the holding time is 7 days however for all other VOCs such as BTEX or C6-10 TRH then the holding time is 14 days.

****NOTE:** pH duplicates are reported as a range NOT as RPD

Units

mg/kg: milligrams per kilogram

mg/L: milligrams per litre

ug/L: micrograms per litre

ppm: Parts per million

ppb: Parts per billion

%: Percentage

org/100mL: Organisms per 100 millilitres

NTU: Nephelometric Turbidity Units

MPN/100mL: Most Probable Number of organisms per 100 millilitres

Terms

Dry	Where a moisture has been determined on a solid sample the result is expressed on a dry basis.
LOR	Limit of Reporting.
SPIKE	Addition of the analyte to the sample and reported as percentage recovery.
RPD	Relative Percent Difference between two Duplicate pieces of analysis.
LCS	Laboratory Control Sample - reported as percent recovery.
CRM	Certified Reference Material - reported as percent recovery.
Method Blank	In the case of solid samples these are performed on laboratory certified clean sands and in the case of water samples these are performed on de-ionised water.
Surr - Surrogate	The addition of a like compound to the analyte target and reported as percentage recovery.
Duplicate	A second piece of analysis from the same sample and reported in the same units as the result to show comparison.
USEPA	United States Environmental Protection Agency
APHA	American Public Health Association
TCLP	Toxicity Characteristic Leaching Procedure
COC	Chain of Custody
SRA	Sample Receipt Advice
QSM	US Department of Defense Quality Systems Manual Version 5.3
CP	Client Parent - QC was performed on samples pertaining to this report
NC	Non-Client Parent - QC performed on samples not pertaining to this report, QC is representative of the sequence or batch that client samples were analysed within.
TEQ	Toxic Equivalency Quotient

QC - Acceptance Criteria

RPD Duplicates: Global RPD Duplicates Acceptance Criteria is 30% however the following acceptance guidelines are equally applicable:

Results <10 times the LOR : No Limit

Results between 10-20 times the LOR : RPD must lie between 0-50%

Results >20 times the LOR : RPD must lie between 0-30%

Surrogate Recoveries: Recoveries must lie between 20-130% Phenols & 50-150% PFASs

PFAS field samples that contain surrogate recoveries in excess of the QC limit designated in QSM 5.3 where no positive PFAS results have been reported have been reviewed and no data was affected.

WA DWER (n=10): PFBA, PFPeA, PFHxA, PFHpA, PFOA, PFBS, PFHxS, PFOS, 6:2 FTSA, 8:2 FTSA

QC Data General Comments

1. Where a result is reported as a less than (<), higher than the nominated LOR, this is due to either matrix interference, extract dilution required due to interferences or contaminant levels within the sample, high moisture content or insufficient sample provided.
2. Duplicate data shown within this report that states the word "BATCH" is a Batch Duplicate from outside of your sample batch, but within the laboratory sample batch at a 1:10 ratio. The Parent and Duplicate data shown is not data from your samples.
3. Organochlorine Pesticide analysis - where reporting LCS data, Toxaphene & Chlordane are not added to the LCS.
4. Organochlorine Pesticide analysis - where reporting Spike data, Toxaphene is not added to the Spike.
5. Total Recoverable Hydrocarbons - where reporting Spike & LCS data, a single spike of commercial Hydrocarbon products in the range of C12-C30 is added and it's Total Recovery is reported in the C10-C14 cell of the Report.
6. pH and Free Chlorine analysed in the laboratory - Analysis on this test must begin within 30 minutes of sampling. Therefore laboratory analysis is unlikely to be completed within holding time. Analysis will begin as soon as possible after sample receipt.
7. Recovery Data (Spikes & Surrogates) - where chromatographic interference does not allow the determination of Recovery the term "INT" appears against that analyte.
8. Polychlorinated Biphenyls are spiked only using Aroclor 1260 in Matrix Spikes and LCS.
9. For Matrix Spikes and LCS results a dash " - " in the report means that the specific analyte was not added to the QC sample.
10. Duplicate RPDs are calculated from raw analytical data thus it is possible to have two sets of data.

Quality Control Results

Test	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
Method Blank							
Perfluoroalkyl carboxylic acids (PFCAs)							
Perfluorobutanoic acid (PFBA)	ug/kg	< 100			100	Pass	
Perfluoropentanoic acid (PFPeA)	ug/kg	< 100			100	Pass	
Perfluorohexanoic acid (PFHxA)	ug/kg	< 100			100	Pass	
Perfluoroheptanoic acid (PFHpA)	ug/kg	< 100			100	Pass	
Perfluorooctanoic acid (PFOA)	ug/kg	< 100			100	Pass	
Perfluorononanoic acid (PFNA)	ug/kg	< 100			100	Pass	
Perfluorodecanoic acid (PFDA)	ug/kg	< 100			100	Pass	
Perfluoroundecanoic acid (PFUnDA)	ug/kg	< 100			100	Pass	
Perfluorododecanoic acid (PFDoDA)	ug/kg	< 100			100	Pass	
Perfluorotridecanoic acid (PFTTrDA)	ug/kg	< 100			100	Pass	
Perfluorotetradecanoic acid (PFTeDA)	ug/kg	< 100			100	Pass	
Method Blank							
Perfluoroalkyl sulfonamido substances							
Perfluorooctane sulfonamide (FOSA)	ug/kg	< 100			100	Pass	
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	ug/kg	< 100			100	Pass	
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	ug/kg	< 100			100	Pass	
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	ug/kg	< 100			100	Pass	
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	ug/kg	< 100			100	Pass	
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	ug/kg	< 100			100	Pass	
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	ug/kg	< 100			100	Pass	
Method Blank							
Perfluoroalkyl sulfonic acids (PFSA)s							
Perfluorobutanesulfonic acid (PFBS)	ug/kg	< 100			100	Pass	
Perfluorononanesulfonic acid (PFNS)	ug/kg	< 100			100	Pass	
Perfluoropropanesulfonic acid (PFPrS)	ug/kg	< 100			100	Pass	
Perfluoropentanesulfonic acid (PFPeS)	ug/kg	< 100			100	Pass	
Perfluorohexanesulfonic acid (PFHxS)	ug/kg	< 100			100	Pass	
Perfluoroheptanesulfonic acid (PFHpS)	ug/kg	< 100			100	Pass	
Perfluorooctanesulfonic acid (PFOS)	ug/kg	< 100			100	Pass	
Perfluorodecanesulfonic acid (PFDS)	ug/kg	< 100			100	Pass	
Method Blank							
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)s							
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	ug/kg	< 100			100	Pass	
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	ug/kg	< 100			100	Pass	
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	ug/kg	< 100			100	Pass	
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	ug/kg	< 100			100	Pass	
LCS - % Recovery							
Perfluoroalkyl carboxylic acids (PFCAs)							
Perfluorobutanoic acid (PFBA)	%	85			50-150	Pass	
Perfluoropentanoic acid (PFPeA)	%	83			50-150	Pass	
Perfluorohexanoic acid (PFHxA)	%	86			50-150	Pass	
Perfluoroheptanoic acid (PFHpA)	%	91			50-150	Pass	
Perfluorooctanoic acid (PFOA)	%	107			50-150	Pass	
Perfluorononanoic acid (PFNA)	%	102			50-150	Pass	
Perfluorodecanoic acid (PFDA)	%	90			50-150	Pass	
Perfluoroundecanoic acid (PFUnDA)	%	91			50-150	Pass	
Perfluorododecanoic acid (PFDoDA)	%	88			50-150	Pass	
Perfluorotridecanoic acid (PFTTrDA)	%	73			50-150	Pass	
Perfluorotetradecanoic acid (PFTeDA)	%	94			50-150	Pass	

Test			Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
LCS - % Recovery									
Perfluoroalkyl sulfonamido substances									
Perfluorooctane sulfonamide (FOSA)			%	92			50-150	Pass	
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)			%	74			50-150	Pass	
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)			%	82			50-150	Pass	
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)			%	71			50-150	Pass	
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)			%	76			50-150	Pass	
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)			%	95			50-150	Pass	
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)			%	89			50-150	Pass	
LCS - % Recovery									
Perfluoroalkyl sulfonic acids (PFSA's)									
Perfluorobutanesulfonic acid (PFBS)			%	73			50-150	Pass	
Perfluorononanesulfonic acid (PFNS)			%	84			50-150	Pass	
Perfluoropropanesulfonic acid (PFPrS)			%	79			50-150	Pass	
Perfluoropentanesulfonic acid (PFPeS)			%	71			50-150	Pass	
Perfluorohexanesulfonic acid (PFHxS)			%	107			50-150	Pass	
Perfluoroheptanesulfonic acid (PFHpS)			%	76			50-150	Pass	
Perfluorooctanesulfonic acid (PFOS)			%	89			50-150	Pass	
Perfluorodecanesulfonic acid (PFDS)			%	56			50-150	Pass	
LCS - % Recovery									
n:2 Fluorotelomer sulfonic acids (n:2 FTSA's)									
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)			%	83			50-150	Pass	
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)			%	92			50-150	Pass	
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)			%	90			50-150	Pass	
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)			%	85			50-150	Pass	
Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
Spike - % Recovery									
Perfluoroalkyl carboxylic acids (PFCAs)									
				Result 1					
Perfluorobutanoic acid (PFBA)	B20-Ma04118	NCP	%	90			50-150	Pass	
Perfluoropentanoic acid (PFPeA)	B20-Ma04118	NCP	%	85			50-150	Pass	
Perfluorohexanoic acid (PFHxA)	B20-Ma04118	NCP	%	91			50-150	Pass	
Perfluoroheptanoic acid (PFHpA)	B20-Ma04118	NCP	%	92			50-150	Pass	
Perfluorooctanoic acid (PFOA)	B20-Ma04118	NCP	%	109			50-150	Pass	
Perfluorononanoic acid (PFNA)	B20-Ma04118	NCP	%	102			50-150	Pass	
Perfluorodecanoic acid (PFDA)	B20-Ma04118	NCP	%	91			50-150	Pass	
Perfluoroundecanoic acid (PFUnDA)	B20-Ma04118	NCP	%	84			50-150	Pass	
Perfluorododecanoic acid (PFDoDA)	B20-Ma04118	NCP	%	79			50-150	Pass	
Perfluorotridecanoic acid (PFTTrDA)	B20-Ma04118	NCP	%	68			50-150	Pass	
Perfluorotetradecanoic acid (PFTeDA)	B20-Ma04118	NCP	%	80			50-150	Pass	
Spike - % Recovery									
Perfluoroalkyl sulfonamido substances									
				Result 1					
Perfluorooctane sulfonamide (FOSA)	B20-Ma04118	NCP	%	83			50-150	Pass	
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	B20-Ma04118	NCP	%	71			50-150	Pass	
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	B20-Ma04118	NCP	%	78			50-150	Pass	
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	B20-Ma04118	NCP	%	70			50-150	Pass	
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	B20-Ma04118	NCP	%	73			50-150	Pass	

Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	B20-Ma04118	NCP	%	73			50-150	Pass	
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	B20-Ma04118	NCP	%	73			50-150	Pass	
Spike - % Recovery									
Perfluoroalkyl sulfonic acids (PFSA's)				Result 1					
Perfluorobutanesulfonic acid (PFBS)	B20-Ma04118	NCP	%	75			50-150	Pass	
Perfluorononanesulfonic acid (PFNS)	B20-Ma04118	NCP	%	77			50-150	Pass	
Perfluoropropanesulfonic acid (PFPrS)	B20-Ma04118	NCP	%	89			50-150	Pass	
Perfluoropentanesulfonic acid (PFPeS)	B20-Ma04118	NCP	%	79			50-150	Pass	
Perfluorohexanesulfonic acid (PFHxS)	B20-Ma04118	NCP	%	105			50-150	Pass	
Perfluoroheptanesulfonic acid (PFHpS)	B20-Ma04118	NCP	%	80			50-150	Pass	
Perfluorooctanesulfonic acid (PFOS)	B20-Ma04118	NCP	%	86			50-150	Pass	
Perfluorodecanesulfonic acid (PFDS)	B20-Ma04118	NCP	%	50			50-150	Pass	
Spike - % Recovery									
n:2 Fluorotelomer sulfonic acids (n:2 FTSA's)				Result 1					
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	B20-Ma04118	NCP	%	84			50-150	Pass	
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	B20-Ma04118	NCP	%	97			50-150	Pass	
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	B20-Ma04118	NCP	%	97			50-150	Pass	
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	B20-Ma04118	NCP	%	70			50-150	Pass	
Test	Lab Sample ID	QA Source	Units	Result 1			Acceptance Limits	Pass Limits	Qualifying Code
Duplicate									
Perfluoroalkyl carboxylic acids (PFCAs)				Result 1	Result 2	RPD			
Perfluorobutanoic acid (PFBA)	B20-Ma08468	CP	ug/kg	< 100	< 100	<1	30%	Pass	
Perfluoropentanoic acid (PFPeA)	B20-Ma08468	CP	ug/kg	< 100	< 100	<1	30%	Pass	
Perfluorohexanoic acid (PFHxA)	B20-Ma08468	CP	ug/kg	< 100	< 100	<1	30%	Pass	
Perfluoroheptanoic acid (PFHpA)	B20-Ma08468	CP	ug/kg	< 100	< 100	<1	30%	Pass	
Perfluorooctanoic acid (PFOA)	B20-Ma08468	CP	ug/kg	< 100	< 100	<1	30%	Pass	
Perfluorononanoic acid (PFNA)	B20-Ma08468	CP	ug/kg	< 100	< 100	<1	30%	Pass	
Perfluorodecanoic acid (PFDA)	B20-Ma08468	CP	ug/kg	< 100	< 100	<1	30%	Pass	
Perfluoroundecanoic acid (PFUnDA)	B20-Ma08468	CP	ug/kg	< 100	< 100	<1	30%	Pass	
Perfluorododecanoic acid (PFDoDA)	B20-Ma08468	CP	ug/kg	< 100	< 100	<1	30%	Pass	
Perfluorotridecanoic acid (PFTrDA)	B20-Ma08468	CP	ug/kg	< 100	< 100	<1	30%	Pass	
Perfluorotetradecanoic acid (PFTeDA)	B20-Ma08468	CP	ug/kg	< 100	< 100	<1	30%	Pass	

Duplicate								
Perfluoroalkyl sulfonamido substances				Result 1	Result 2	RPD		
Perfluorooctane sulfonamide (FOSA)	B20-Ma08468	CP	ug/kg	< 100	< 100	<1	30%	Pass
N-methylperfluoro-1-octane sulfonamide (N-MeFOSA)	B20-Ma08468	CP	ug/kg	< 100	< 100	<1	30%	Pass
N-ethylperfluoro-1-octane sulfonamide (N-EtFOSA)	B20-Ma08468	CP	ug/kg	< 100	< 100	<1	30%	Pass
2-(N-methylperfluoro-1-octane sulfonamido)-ethanol (N-MeFOSE)	B20-Ma08468	CP	ug/kg	< 100	< 100	<1	30%	Pass
2-(N-ethylperfluoro-1-octane sulfonamido)-ethanol (N-EtFOSE)	B20-Ma08468	CP	ug/kg	< 100	< 100	<1	30%	Pass
N-ethyl-perfluorooctanesulfonamidoacetic acid (N-EtFOSAA)	B20-Ma08468	CP	ug/kg	< 100	< 100	<1	30%	Pass
N-methyl-perfluorooctanesulfonamidoacetic acid (N-MeFOSAA)	B20-Ma08468	CP	ug/kg	< 100	< 100	<1	30%	Pass
Duplicate								
Perfluoroalkyl sulfonic acids (PFASs)				Result 1	Result 2	RPD		
Perfluorobutanesulfonic acid (PFBS)	B20-Ma08468	CP	ug/kg	< 100	< 100	<1	30%	Pass
Perfluorononanesulfonic acid (PFNS)	B20-Ma08468	CP	ug/kg	< 100	< 100	<1	30%	Pass
Perfluoropropanesulfonic acid (PFPrS)	B20-Ma08468	CP	ug/kg	< 100	< 100	<1	30%	Pass
Perfluoropentanesulfonic acid (PFPeS)	B20-Ma08468	CP	ug/kg	< 100	< 100	<1	30%	Pass
Perfluorohexanesulfonic acid (PFHxS)	B20-Ma08468	CP	ug/kg	< 100	< 100	<1	30%	Pass
Perfluoroheptanesulfonic acid (PFHpS)	B20-Ma08468	CP	ug/kg	< 100	< 100	<1	30%	Pass
Perfluorooctanesulfonic acid (PFOS)	B20-Ma08468	CP	ug/kg	< 100	< 100	<1	30%	Pass
Perfluorodecanesulfonic acid (PFDS)	B20-Ma08468	CP	ug/kg	< 100	< 100	<1	30%	Pass
Duplicate								
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)				Result 1	Result 2	RPD		
1H.1H.2H.2H-perfluorohexanesulfonic acid (4:2 FTSA)	B20-Ma08468	CP	ug/kg	< 100	< 100	<1	30%	Pass
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	B20-Ma08468	CP	ug/kg	< 100	< 100	<1	30%	Pass
1H.1H.2H.2H-perfluorodecanesulfonic acid (8:2 FTSA)	B20-Ma08468	CP	ug/kg	< 100	< 100	<1	30%	Pass
1H.1H.2H.2H-perfluorododecanesulfonic acid (10:2 FTSA)	B20-Ma08468	CP	ug/kg	< 100	< 100	<1	30%	Pass
Duplicate								
n:2 Fluorotelomer sulfonic acids (n:2 FTSA)				Result 1	Result 2	RPD		
1H.1H.2H.2H-perfluorooctanesulfonic acid (6:2 FTSA)	B20-Ma08469	CP	ug/kg	< 5000	< 5000	<1	30%	Pass

Comments

V2 - SPLIT REPORT 1

Sample Integrity

Custody Seals Intact (if used)	N/A
Attempt to Chill was evident	No
Sample correctly preserved	Yes
Appropriate sample containers have been used	Yes
Sample containers for volatile analysis received with minimal headspace	Yes
Samples received within HoldingTime	Yes
Some samples have been subcontracted	No

Qualifier Codes/Comments

Code	Description
N11	Isotope dilution is used for calibration of each native compound for which an exact labelled analogue is available (Isotope Dilution Quantitation). The isotopically labelled analogues allow identification and recovery correction of the concentration of the associated native PFAS compounds.
N15	Where the native PFAS compound does not have labelled analogue then the quantification is made using the Extracted Internal Standard Analyte with the closest retention time to the analyte and no recovery correction has been made (Internal Standard Quantitation).
R16	The LORs have been raised due to the high concentration of one or more analytes

Authorised By

Peter Brand	Analytical Services Manager
Jonathon Angell	Senior Analyst-Organic (QLD)
Sarah McCallion	Senior Analyst-PFAS (QLD)



Glenn Jackson
General Manager

Final report - this Report replaces any previously issued Report

- Indicates Not Requested

* Indicates NATA accreditation does not cover the performance of this service

Measurement uncertainty of test data is available on request or please [click here](#).

Eurofins shall not be liable for loss, cost, damages or expenses incurred by the client, or any other person or company, resulting from the use of any information or interpretation given in this report. In no case shall Eurofins be liable for consequential damages including, but not limited to, lost profits, damages for failure to meet deadlines and lost production arising from this report. This document shall not be reproduced except in full and relates only to the items tested. Unless indicated otherwise, the tests were performed on the samples as received.